


NEX[®]Spectra

110W LED High bay




Features

- Very high Luminous efficiency 190 lm/w
- Durable and compact low-profile housing design
- Designed for industrial lighting
- IP65 for indoor and outdoor applications
- High grade materials and perfect workmanship provide excellent cooling abilities

Applications

Warehouses and logistic halls
Production facilities
Exhibition- & showrooms

Specifications

General Informations		Electrical Informations	
Product name	NEX Spectra	Driver	Included driver
Rated power	110W	Input voltage	AC100-277V
Luminous efficiency	>190 lm/W	Frequency	50/60Hz
Luminous flux	>20900 lumen	Input Current	0.65±0.1A
Color temp.	Warm white (3000K±300)	Power factor	≥0.95
	Natural white (4000K,5000K±300)	Power Efficiency	>91%
	Cool white (6500K±500)	THDi	<15%
CRI (Ra)	≥70	Certificates & Test reports	
Beam angle	120D (60D,90D Optional)	Certificates	CE,RoHS,TISI
IP protection	IP65	Test Reports	LM80/TM21
Dimensions	Ø320 x H190mm	Remark: The information contained in this document is subject to change without notice. * 18Hrs/Day	
Weight	3.8kg		
Housing material	Massive aluminum die-cast		
Housing color	Black		
Operating temp.	-30°C to 55°C		
Operating humi.	10% to 90%		
Lifespan(L70)	50000Hrs.		
Warranty	3 Years*		

NEX Nex Inno Tech Co.,Ltd.

410/17-23, 410/58-62 2nd Floor
Ratchadaphisek Rd., Samsennok,
Huay Kwang, Bangkok 10310, THAILAND

Tel. +662 204 7565
Fax. +662 938 3672
Email: info@nexledtech.com

www.nexledtech.com
www.nexinnotech.com

Ref. NEX Spectra HB-XX V190827-2