




## Dimension



## Features

- High Color Rendering Index(CRI).
- Perfect low energy replacement for the Halogen Lamp.
- Energy saving up to 80% compared with traditional light.

## Specification

General Informations		Electrical Informations	
Product Name	NEX Enova SP-07 GU10	Input voltage	AC170-250V
Rated Power	7W	Frequency.	50/60Hz
Luminous Flux	650 lumen	Dimmable	Triac
Color Temp.	Warm white (2700K,3000K±300) Natural white (4000K±400)	Power Factor	>0.9
CRI (Ra)	82 (92,97 Optional)	Certificates & Test reports	
Beam Angle	30D	Certificates	CE,RoHS,TISI
Reflector Type	MR16	Test reports	LM80/TM21
Lamp Base	GU10	Remark: The information contained in this document is subject to change without notice. * 18Hrs/Day	
IP Protection	IP20		
Dimensions	Ø50 x H79 mm		
Housing Material	Aluminum		
Housing Color	Black color		
Operating Temp.	-30°C to 40°C		
Operating Humi.	10% to 90%		
Lifespan(L70)	30000 Hrs.		
Warranty	3 Years*		

## NEX Office & Showroom


Sookkamol Ratchada Building 2Floor,  
410/17-23 Ratchadaphisek Rd., Samsennok,  
Huay Kwang, Bangkok 10310, THAILAND

Tel. +662 204 7565  
Fax. +662 938 3672  
Email: info@nexledtech.com

www.nexledtech.com  
www.nexinnotech.com



## Dimension



## Features

- High Color Rendering Index(CRI).
- Perfect low energy replacement for the Halogen Lamp.
- Energy saving up to 80% compared with traditional light.

## Specification

General Informations		Electrical Informations	
Product Name	NEX Enova SP-05 GU10	Input voltage	AC170-250V
Rated Power	5W	Frequency.	50/60Hz
Luminous Flux	550 lumen	Dimmable	Triac
Color Temp.	Warm white (2700K,3000K±300) Natural white (4000K±400)	Power Factor	>0.9
CRI (Ra)	82 (92,97 Optional)	Certificates & Test reports	
Beam Angle	30D,45D,60D	Certificates	CE,RoHS,TISI
Reflector Type	MR16	Test reports	LM80/TM21
Lamp Base	GU10	Remark: The information contained in this document is subject to change without notice. * 18Hrs/Day	
IP Protection	IP20		
Dimensions	Ø50 x H58mm		
Housing Material	Aluminum		
Housing Color	Aluminum color		
Operating Temp.	-30°C to 40°C		
Operating Humi.	10% to 90%		
Lifespan(L70)	30000 Hrs.		
Warranty	3 Years*		

## NEX Office & Showroom


Sookkamol Ratchada Building 2Floor,  
410/17-23 Ratchadaphisek Rd., Samsennok,  
Huay Kwang, Bangkok 10310, THAILAND

Tel. +662 204 7565  
Fax. +662 938 3672  
Email: info@nexledtech.com

www.nexledtech.com  
www.nexinnotech.com



## Dimension



## Features

- High Color Rendering Index(CRI).
- Perfect low energy replacement for the Halogen Lamp.
- Energy saving up to 80% compared with traditional light.

## Specification

General Informations		Electrical Informations	
Product Name	NEX Enova SP-07 GU10	Input voltage	AC170-250V
Rated Power	7W	Frequency.	50/60Hz
Luminous Flux	650 lumen	Dimmable	Triac
Color Temp.	Warm white (2700K,3000K±300) Natural white (4000K±400)	Power Factor	>0.9
CRI (Ra)	82 (92,97 Optional)	Certificates & Test reports	
Beam Angle	30D,45D,60D	Certificates	CE,RoHS,TISI
Reflector Type	MR16	Test reports	LM80/TM21
Lamp Base	GU10	Remark: The information contained in this document is subject to change without notice. * 18Hrs/Day	
IP Protection	IP20		
Dimensions	Ø50 x H69mm		
Housing Material	Aluminum		
Housing Color	Aluminum color		
Operating Temp.	-30°C to 40°C		
Operating Humi.	10% to 90%		
Lifespan(L70)	30000 Hrs.		
Warranty	3 Years*		

## NEX Office & Showroom


Sookkamol Ratchada Building 2Floor,  
410/17-23 Ratchadaphisek Rd., Samsennok,  
Huay Kwang, Bangkok 10310, THAILAND

Tel. +662 204 7565  
Fax. +662 938 3672  
Email: info@nexledtech.com

www.nexledtech.com  
www.nexinnotech.com




## Dimension



## Features

- High Color Rendering Index(CRI).
- Perfect low energy replacement for the Halogen Lamp.
- Energy saving up to 80% compared with traditional light.

## Specification

General Informations		Electrical Informations	
Product Name	NEX Enova SP-05 GU5.3	Input voltage	AC/DC12V,AC170-250V
Rated Power	5W	Frequency.	50/60Hz
Luminous Flux	550 lumen	Dimmable	Triac
Color Temp.	Warm white (2700K,3000K±300) Natural white (4000K±400)	Power Factor	>0.9
CRI (Ra)	82 (92,97 Optional)	Certificates & Test reports	
Beam Angle	30D,45D,60D	Certificates	CE,RoHS
Reflector Type	MR16	Test reports	LM80/TM21
Lamp Base	GU5.3	Remark: The information contained in this document is subject to change without notice. * 18Hrs/Day	
IP Protection	IP20		
Dimensions	Ø50 x H50mm		
Housing Material	Aluminum		
Housing Color	Aluminum color		
Operating Temp.	-30°C to 40°C		
Operating Humi.	10% to 90%		
Lifespan(L70)	30000 Hrs.		
Warranty	3 Years*		

## NEX Office & Showroom

Sookkamol Ratchada Building 2Floor,  
410/17-23 Ratchadaphisek Rd., Samsennok,  
Huay Kwang, Bangkok 10310, THAILAND

Tel. +662 204 7565  
Fax. +662 938 3672  
Email: info@nexledtech.com

www.nexledtech.com  
www.nexinnotech.com